

True precision – for your astronomical future

## Pricelist Euro € - June 2023

Item #	Description	Italian retail 22% VAT	Net retail w/o VAT
<b>BINO Mount</b>			
10M100L	<b>BM100L</b> - Mount for heavy duty binoculars (Standard Package), including: BM 100L mount, counterweight bar, pier adapter for tripod, kg. 3 counterweight, strong transport carton-box with shaped foam	<b>Temporarily unavailable</b>	
<b>HPS Equatorial Mounts</b>			
10M1000	<b>GM 1000 HPS Equatorial Mount Head</b> (Standard Package), including: GM 1000 HPS Mount with <b>precision absolute axis-encoders</b> , motor control box with onboard-intelligence (Linux-processor), V. 2 - HPS version firmware, stand alone system ( no PC required ), professional handcontrol unit with graphic display and temperature control, cables, counterweight bar, pier adapter for tripod / column, strong transport carton-box with shaped foam, WiFi option included.	11.844,98	9.709
10M1020	<b>ADDITIONAL PRICE</b> <b>Full Package for GM 1000 HPS + HERCULES 30H100</b> accessories for GM1000-HPS full-package version: <ul style="list-style-type: none"> <li>Counterweight set 3kg and 6kg - stainless steel</li> <li>Tripod <b>Hercules 30H100</b> by Geoptik, complete with 10Micron upholstered Cordura transport-bag</li> <li>Mount's and counterweights professional PLB transport resin cases (2pcs: Trolley + hand case )</li> <li>Perseus Software Package</li> <li>Power-Supply mobile type 240V / 24V- 3.75 - 90W</li> <li>Polar finder holder: laser pointer V-holder for a quick alignment ( laser pen not included )</li> <li>Mount-Head Protective Cover (Cordura)</li> </ul>	2.465,62	2.021
10M1021	<b>ADDITIONAL PRICE</b> <b>Full Package for GM 1000 HPS + ARIES</b> accessories for GM1000-HPS full-package version: <ul style="list-style-type: none"> <li>Counterweight set 3kg and 6kg - stainless steel</li> <li>Tripod <b>ARIES</b> by 10Micron, complete with 10Micron upholstered Cordura transport-bag</li> <li>Mount's and counterweights professional PLB transport resin cases (2pcs: Trolley + hand case)</li> <li>Perseus Software Package</li> <li>Power-Supply mobile type 240V / 24V- 3.75 - 90W</li> <li>Polar finder holder: laser pointer V-holder for a quick alignment (laser pen not included)</li> <li>Mount-Head Protective Cover (Cordura)</li> </ul>	4.495,70	3.685
10M2030	<b>GM 2000 HPS II „Combi“ Equatorial Mount Head</b> (Standard Package), including: GM 2000 HPS II Mount - Combi version with precision absolute axis-encoders, control box with onboard-intelligence (Linux-processor), V. 2 - HPS version firmware, stand alone system ( no PC required ), professional handcontrol unit with graphic display and temperature control, cables, counterweight bar and strong transport carton-box with shaped foam, WiFi option included.	16.078,38	13.179
10M2030F	<b>GM 2000 HPS II „Combi“ Cold version:</b> <b>Same as 10M2030 but with Extended operational temperature to -30°C (-22° F)</b>	18.274,38	14.979
10M1021	<b>ADDITIONAL PRICE</b> <b>Full Package for GM 2000 HPS II „Ultraport and Combi“ - PEGASUS</b> accessories for GM2000 HPS II v.2014 - full-package version: <ul style="list-style-type: none"> <li>counterweight set 6kg and 12kg stainless steel</li> <li>Losmandy 3" compatible dovetail plate</li> <li>PEGASUS tripod, complete with 10Micron upholstered Cordura transport-bag</li> <li>Mount's and counterweights professional PLB transport resin cases: (3pcs: 2Trolley+hand case)</li> <li>Perseus Software Package</li> <li>Power-Supply mobile type 240V / 24V - 6A 150W</li> <li>Mount-Head Protective Cover (Cordura)</li> </ul>	4.434,70	3.635

10M2020uAH	<b>ADDITIONAL PRICE</b> <b>Full Package for GM 2000 HPS II „Ultraport / Combi“ - "resin cases"</b> accessories for GM2000 HPS II v.2014 - full-package version: <ul style="list-style-type: none"> <li>• counterweight set 6kg and 12kg stainless steel</li> <li>• Losmandy 3" compatible dovetail plate</li> <li>• Centaurus II tripod, complete with 10Micron upholstered Cordura transport-bag</li> <li>• Mount's and counterweights professional PLB transport resin cases: (3pcs: 2Trolley+hand case)</li> <li>• Perseus Software Package</li> <li>• Power-Supply mobile type 240V / 24V - 6A 150W</li> <li>• Mount-Head Protective Cover (Cordura)</li> </ul>	6.710,00	5.500
10M3000	<b>GM 3000 HPS Equatorial Mount Head</b> , including: GM 3000 Mount with <b>precision absolute axis-encoders</b> , control box with onboard-intelligence (Linux-processor), V. 2 - HPS version firmware, stand alone system ( no PC required ), professional handcontrol unit with graphic display and temperature control, cables, counterweight bar, WiFi option included.	19.818,90	16.245
10M3000F	<b>GM 3000 HPS Cold version:</b> <b>Same as 10M3000 but with extended operational temperature to -30°C (-22° F)</b>	23.182,44	19.002
10M4010	<b>GM 4000 HPS II - Equatorial Mount Head</b> , including: GM 4000 HPS II Mount 2015 with <b>precision absolute axis-encoders</b> , control box with onboard-intelligence (Linux-processor), V. 2 - HPS version firmware, stand alone system ( no PC required ), professional handcontrol unit with graphic display and temperature control, cables, counterweight bar, WiFi option included.	30.469,50	24.975
10M4010F	<b>GM 4000 HPS II Cold version:</b> <b>Same as 10M4010 but with Extended operational temperature to -30°C (-22° F)</b>	34.518,68	28.294
<b>Tripods</b>			
10M2057	<b>Treppiede CENTAURUS II</b> - by 10Micron (for GM2000 mounts - complete with triangle accessory holder, hanger for electronics, bubble level and 10Micron upholstered Cordura transport-bag). Compatible housing for some American mounts ( ask to our support team)	4.399,32	3.606
10M1055	<b>Tripod ARIES</b> - by 10Micron (for GM1000 & BM100L mounts - complete with triangle accessory holder, hanger for electronics, bubble level and 10Micron upholstered Cordura transport-bag)	3.079,28	2.524
10M2056	<b>Tripod PEGASUS</b> - by Geoptik - custom made for 10Micron (for GM2000 mounts - complete with triangle accessory holder, bubble level 10Micron upholstered Cordura transport-bag)	2049,60	1.680
10M1056	<b>Tripod HERCULES 30H100</b> - by Geoptik, custom made for 10Micron ( for GM1000 & BM100L mounts - complete with 10Micron upholstered Cordura transport-bag)	985,76	808
<b>Tripod Adapters</b>			
10M2256	<b>Adapter AP 1200 mount</b> for Centaurus tripod	413,58	339
10M2258	<b>Adapter to 900 RPA – AP 900</b> for Centaurus tripod	356,24	292
10M1091	<b>Adapter for GM1000 mounts</b> for Centaurus tripod	219,60	180
<b>Accessories for BM100L mounts</b>			
10M1075	<b>Counterweight 3 kg</b> - made in stainless steel	115,90	95
10M1080	<b>Counterweight 6 kg</b> - made in stainless steel	143,96	118
10M185L	<b>Vixen compatible saddle plate</b> - by 10Micron, round Vixen 44 mm for small telescope	107,36	88
10M167L	<b>Carrying bag</b> - reinforced cordura bag with handles, designed to recycle the shaped padding included in the transport cardboard box #10M1066L )	195,20	160
10M166L	<b>Transport strong cardboard box</b> - Special shaped Foam fitted, with for a safe shipping & transport (included in the mount's standard pack )	156,16	128
10M1056	<b>Tripod HERCULES 30H100</b> - by Geoptik, custom made for 10Micron ( for GM1000 & BM100L mounts - complete with 10Micron upholstered Cordura transport-bag)	985,76	808
10M1055	<b>Tripod ARIES</b> - by 10Micron (for GM1000 & BM100L mounts - complete with triangle accessory holder, hanger for electronics, bubble level and 10Micron upholstered Cordura transport-bag)	3.079,28	2.524
<b>Accessories for GM1000 HPS &amp; AZ1000 HPS mounts</b>			
10M1075	<b>Counterweight 3 kg</b> - made in stainless steel	115,90	95
10M1080	<b>Counterweight 6 kg</b> - made in stainless steel	143,96	118
10M1065	<b>Mounting-Head Protective Cover</b> - (cordura)	92,72	76

10M1064	<b>Standard cases " PLB series"</b> , Head- and Counterweights Resin-Case set - (n. 2 pcs - trolley + hand case) - Made in Italy	939,40	770
10M1064AZ	<b>Standard cases " PLB series"</b> , Head- and Counterweights Resin-Case set <b>for AZ1000 HPS mount-</b> (n. 2 pcs - trolley + hand case) - Made in Italy	939,40	770
10M1090	<b>Pier adapter flange</b> of aluminium black anodized (it fits on AHT Baader tripod, 30H100 GPK tripod, or mounted on a fixed pier like 10Micron #10M1010 or customer tripod / pier)	85,40	70
10M1092	<b>Base adapter flange</b> of aluminium black anodized - optional mount base adapter kit ( knobs + screws + azimuth pin ) for mount the GM1000 directly on a fixed pier without the adapter #10M1090	274,50	225
10M2577	<b>Mobile Powersupply w.Car Plug 12V input, 24V 5A 120W output</b> - (for GM1000 & GM2000 )	123,22	101
10M2578	<b>Power Supply SW. Type 110-240V input / 24V 3.75 output</b> - (for GM1000 & GM2000 v.1)	113,46	93
10M4105	<b>GPS receiver module with connector-</b> for GM1000 & 2000 & 3000 & 4000	176,90	145
10M1068	<b>Double Carrying bag - 2 reinforced cordura bags with handles</b> (Designed to recycle the shaped padding included in the transport cardboard box #10M1066)	280,60	230
10M1066	<b>Special Foam fitted transport cardboard box</b> - with handles for a safe shipping & transport and for warranty repair return (included in the mount's standard pack )	156,16	128
10M1050	<b>Polar finder holder</b> - laser pointer V-holder - side mounting- for a quick alignment (laser pen not included)	79,30	65
10M1010	<b>Standard round Steel pillar for GM1000</b> - with single ground plate - tube diameter 150mm - H. 100 cm (standard): option 80 cm (#10M1010-8) / 120 cm (#10M1010-12)	1.029,68	844
10M1012	<b>Half Pillar</b> - Height 130mm - for more clearance between tripod/pier and optics - Directly compatible with GM1000 HPS; for AZ1000 HPS it's necessary the adapter <b>10M1120</b>	450,18	369
10M1120	<b>Half pillar adapter for AZ1000 HPS</b>	189,10	155
10M1072	<b>GM1000 controlbox-mount extended cable</b> , lenght = 1m, suitable with #10M1012 Half Pillar	158,60	130
10M1011	<b>Controlbox holder for round steel pillar</b> - by 10Micron ( for fixing the control box to a round d. 150 mm pillar)	246,44	202
10M1211B	<b>Octagonal Steel pillar GM1000 / 2000</b> dual wall-design, Zeiss FI-analysis - by Baader Planetarium: <b>HEIGHT OPTIONS to be indicated on the order: 60/80/100/115/125/135/145/155/165 cm</b>	2.541,26	2.083
10M1187B	<b>Baader Steel Leveling Flange GM1000</b>	516,06	423
10M1056	<b>Tripod HERCULES 30H100</b> - by Geoptik, custom made for 10Micron ( for GM1000 & BM100L mounts - complete with 10Micron upholstered Cordura transport-bag)	985,76	808
10M1055	<b>Tripod ARIES</b> - by 10Micron (for GM1000 & BM100L mounts - complete with triangle accessory holder, hanger for electronics, bubble level and 10Micron upholstered Cordura transport-bag)	3.079,28	2.524
10M1105	<b>Adapter saddle plate for Lodual on GM1000</b> - ( special dovetail adapter plate for mount the "Lodual" #10M2105 on GM1000, includes a #10M2085 - necessary due the absolute encoder fixed home position)	278,16	228
<b>Accessories for GM2000 &amp; AZ2000 Mounts</b>			
10M2075	<b>Counterweight 6 kg</b> - made in stainless steel	164,70	135
10M2080	<b>Counterweight 12 kg</b> - made in stainless steel	244,00	200
10M2085	<b>Losmandy dovetail clamping plate 3"</b> by 10Micron, length 200mm	237,90	195
10M2135	<b>"Maxi"-dovetail clamping plate 4"</b> by 10Micron, with two security locking knobs, 200mm long	261,08	214
10M2185	<b>Losmandy dovetail clamping plate 3" XL</b> by 10Micron / 350mm long- three knobs	295,24	242
10M2235	<b>"Maxi"-dovetail clamping plate 4"</b> by 10Micron, with three security locking knobs, 350mm long	405,04	332
10M2125	<b>3" dovetail bar</b> by 10Micron , 300mm long – matching # 10M2085	114,68	94
10M2130	<b>3" dovetail bar</b> by 10Micron, 400mm long – matching #10M2085	117,12	96
10M2130XL	<b>3" dovetail bar</b> by 10Micron, 500mm long – matching #10M2085	140,30	115
10M2199	<b>4" dovetail bar</b> by 10Micron, 400mm long – matching #10M2135	140,30	115
10M2199XL	<b>4" dovetail bar</b> by 10Micron, 500mm long – matching #10M2135	165,92	136
10M2105	<b>Lateral double 3" plate "Lodual"</b> with fixed center holder #10M2130 and 2 pcs #10M2085 clamping plates	557,54	457

10M2100	<b>Lateral Double 4" Plate "Maxidual"</b> with 2pc #10M2085, mounted on a 4" Dovetail bar 400mm long, including a Maxi clamping plate #10M2135	825,94	677
10M2100XL	<b>Lateral Double 4" Plate "Maxidual XL"</b> with 2pc #10M2185, mounted on a 4" Dovetail bar 400 mm long, including a Maxi clamping plate #10M2135	945,50	775
10M2065	<b>Mounting-Head Protective Cover</b> (cordura)	98,82	81
10M2062H	<b>Head- and Counterweight - Professional PLB resin "Flight-Case"</b> , transport set for MONOLITH mount - HPS II ( 2 pcs ) - Made in Italy – ON REQUEST ONLY	1.176,08	964
10M2063H	<b>Head- and Counterweight - Professional PLB resin "Flight-Case"</b> , transport set for ULTRAPORT / COMBI mount - HPS II ( 3 pcs. ) - Made in Italy	1.557,94	1.277
10M2063AZ	<b>Head- and Counterweight - Professional PLB resin "Flight-Case"</b> , transport set for <b>GM2000 HPS II ULTRAPORT and COMBI</b> mount - ( 3 pcs. ) - Made in Italy	1.557,94	1.277
10M2090	<b>Head- and Counterweight - Professional PLB resin "Flight-Case"</b> , transport set for <b>AZ2000 ULTRAPORT and COMBI</b> mount - ( 3 pcs. ) - Made in Italy	154,94	127
10M2095	<b>Base adapter flange</b> of aluminium black anodized - optional mount base adapter kit (knobs + screws + azimuth pin) for mount the GM2000 directly on a fixed pier, fits with #10M2090	336,72	276
10M2577	<b>Mobile Powersupply w.Car Plug 12V 10A input, 24V 5A 120W output</b> (for GM1000 & GM2000 )	123,22	101
10M2578	<b>Mobile Power Supply SW. 110-240V input / 24V 3.75 output</b> (for GM1000 & GM2000 v.1)	113,46	93
10M2060	<b>Mobile Power Supply SW. 110-240V input / 24V 6A output</b> (only for GM2000 v.2 GM2000HPS, GM3000HPS, GM4000HPS)	157,38	129
10M2066	<b>Special Foam fitted transport cardboard box</b> for GM 2000 and GM 2000 HPS, with handles for safe shipping & transport and for warranty repair return (included in the mount's standard pack )	203,74	167
10M4105	<b>GPS receiver module with connector</b> - (for GM 1000 & 2000 & 3000 & 4000)	176,90	145
10M2057	<b>CENTAURUS II Tripod</b> - by 10Micron (for GM2000 mounts - complete with triangle accessory holder, hanger for electronics, bubble level and 10Micron upholstered Cordura transport-bag). Compatible housing for some American mounts (ask to our support team)	4.399,32	3.606
10M2056	<b>Tripod PEGASUS</b> - by Geoptik - custom made for 10Micron (for GM2000 mounts - complete with triangle accessory holder, bubble level 10Micron upholstered Cordura transport-bag)	2049,60	1.680
10M1211B	<b>Octagonal Steel pillar GM1000 / 2000</b> dual wall-design, Zeiss FI-analysis - by Baader Planetarium: <b>HEIGHT OPTIONS to be indicated on the order: 60/80/100/115/125/135/145/155/165 cm</b>	2.541,26	2.083
10M1171B	<b>Baader Steel Leveling Flange GM2000</b>	541,68	444
10M2010	<b>Standard round Steel pillar for GM2000</b> - by 10Micron (steel pillar with single round base plate - tube diam. 22cm - Standard height 120 cm; optional heights 80cm (#10M2010-8) / 100cm (#10M2010-10)	1.422,52	1.166
10M2011	<b>Controlbox holder for round steel pillar</b> - by 10Micron ( for fixing the control box to a round d. 200 / 300 mm pillar )	246,44	202
<b>Accessories for GM3000 &amp; AZ3000 Mounts</b>			
10M3090	<b>Pier Adapter of electroplated steel</b> (for GM3000 to mount on top of the leveling flange)	279,38	229
10M3083	<b>Counterweight 20 kg</b> - ( bore diam. 50 mm ) - Stainless steel	441,64	362
10M3545	<b>Flange adapter for standard Losmandy 3" plate</b> - (for mounting #10M2185)	278,16	228
10M4105	<b>GPS receiver module with connector-</b> (for GM 1000 & 2000 & 3000 & 4000)	176,90	145
10M2060	<b>Mobile Power Supply 110-240V input / 24V 6A output</b> (only for GM2000 v.2 GM2000HPS, GM3000HPS, GM4000HPS)	157,38	129
10M3185B	<b>Heavy steel leveling Flange for GM3000 Mount</b> - for mounting on #10M3220 - by Baader Planetarium.	556,32	456
10M1221B	<b>Octagonal Steel pillar GM300 / 4000</b> dual wall-design, Zeiss FI-analysis, weight of empty pillar: 200kg - by Baader Planetarium: <b>HEIGHT OPTIONS to be indicated on the order: 60/80/100/115/125/135/145/155/165 cm</b>	3.466,02	2.841
10M3230	<b>Standard round Steel pillar for GM3000</b> - by 10Micron ( steel pillar with single round base plate - tube diam. 25cm - Standard height: 120 cm. Optional heights: 80cm (#10M3230-8) and 100 cm (#10M3230-10)	2.104,50	1.725
10M2011	<b>Controlbox holder for round steel pillar</b> - by 10Micron ( for fixing the control box to a round d. 200 / 300 mm pillar )	246,44	202

10M3100	<b>Shipping wooden pallet-box for GM 3000 Mount</b> , for safe shipping and for warranty repair return (NOT included in the mount's standard pack )	279,38	229
10M3199	<b>GM 3000 mandatory shipping KIT</b> - GM 3000 <b>shipping wooden pallet-box</b> (#10M3100) and <b>Pier adapter</b> (#10M3090), both are necessary items when the mount will be shipped by a forwarder. Shipping charges will be calculated individually for each destination and will be billed separately. The <b>Pier adapter</b> #10M3090 will be needed later when mounting the GM 3000 onto a dual wall Baader Pier or a customised Pier. This strong plate of solid steel (w. centering flange !) is mandatory not only for securing the mount on the pallet during transport but also later to translate the full loading capacity of the mount into the pillar.	558,76	458
<b>Accessories for GM4000 &amp; AZ4000 Mounts</b>			
10M4090	<b>Pier Adapter of electroplated steel</b> by 10Micron (for GM4000 to mount on top of the #10M4185 leveling flange or on #10M4230 10micron standard pier or on customer's pier)	292,80	240
10M4185B	<b>Heavy steel leveling Flange for GM4000 Mount</b> - by Baader Planetarium.	556,32	456
10M1221B	<b>Octagonal Steel pillar GM300 / 4000</b> dual wall-design, Zeiss FI-analysis, weight of empty pillar: 200kg - by Baader Planetarium: <b>HEIGHT OPTIONS to be indicated on the order: 60/80/100/115/125/135/145/155/165 cm</b>	3.466,02	2.841
10M4083	<b>Counterweight 20 kg</b> (5 pc required - min. q.ty) - Stainless steel	427,00	350
10M4550	<b>Dovetail clamping plate 5"</b> - by 10Micron ( heavy plate with 3 locking points )	433,10	355
10M4560	<b>5" Slide for dovetail plate</b> - by 10Micron ( 500 mm Long. - fits with #10M4550	203,74	167
10M4545	<b>Flange adapter for standard Losmandy 3" plate</b> - for mounting #10M2185 on the GM4000)	278,16	228
10M4105	<b>GPS receiver module with connector-</b> (for GM 1000 & 2000 & 3000 & 4000)	176,90	145
10M2060	<b>Mobile Power Supply 110-240V input / 24V 6A output</b> (only for GM2000 v.2 GM2000HPS, GM3000HPS, GM4000HPS)	157,38	129
10M4540	<b>Giant dovetail slide 8"</b> - by 10Micron ( 500mm. Long - fits on 10M4555 )	300,12	246
10M4555	<b>Giant dovetail clamping plate 8"</b> - by 10Micron ( 8" dovetail clamp for CDK 17 & CDK 20 & CDK 24 Optical Tube - Baader specs.)	552,66	453
10M4230	<b>Standard round Steel pillar for GM4000</b> - by 10Micron ( steel pillar with single round base plate - tube diam. 33cm - Standard height 120 cm ; optional heights 80cm (#10M4230-8) and 100cm (#10M4230-10)	2.319,22	1.901
10M4100	<b>Shipping wooden pallet-box for GM 4000 Mount</b> , for safe shipping and for warranty repair return (NOT included in the mount's standard pack )	292,80	240
10M4199	<b>GM 4000 mandatory shipping KIT</b> - GM 4000 <b>shipping wooden pallet-box</b> (#10M4100) and <b>Pier adapter</b> (#10M4090), both are necessary items when the mount will be shipped by a forwarder. Shipping charges will be calculated individually for each destination and will be billed separately. The <b>Pier adapter</b> #10M4090 will be needed later when mounting the GM 4000 onto a dual wall Baader Pier or a customised Pier. This strong plate of solid steel (w. centering flange !) is mandatory not only for securing the mount on the pallet during transport but also later to translate the full loading capacity of the mount into the pillar.	585,60	480
<b>Software &amp; up-grades for GM X000 mounts</b>			
10M5010	<b>PC Planetarium-and Telescope control Software "Perseus"</b> - to control the mount with an external customer PC	174,46	143
10M5020	<b>Firmware-Upgrade CD-Rom 10Micron V. 2.x</b> – with high speed satellite tracking function and much more ( for normal QCI V.1.x mounts )	406,26	333
10M5005	<b>WiFi up-grade - integrated board</b> : WLAN connection ( access point and routing function) configuration and managing software included - included with new HPS mounts, or as retrofit for older mount (compatible with mount control box Qtype 2012 series - from 2012 only).	406,26	333
10M5030	<b>Key Pad v.2 by 10Micron up-grade:</b> rugged keypad with metal housing, large graphic display with five text lines and status icons, heated for low temperature operation, dimmable display and backlit keys, reliable professional micro switches. Included in the all HPS mount, on demand for other models; sold as retrofit for older mount with mandatory firmware up-grade (must be applied) - CDrom included. (Full functionality only with mounts having firmware version 2.12 and over already installed ) - works also with firmware v. 1.x ( display will show only two text line and no status icons)	1.091,90	895
<b>AZ HPS Mounts</b>			
10M1000AZ	<b>AZ1000 HPS</b> - Altazimuthal mount, exclusive 10Micron HPS technology with absolute encoders and high performances motor drives; payload capacity of 25 Kg (55 lbs) – Most of the GM1000 Accessories are compatible, please ask our team for more information	11.844,98	9.709



10M2000AZC	<b>NEW! AZ2000 HPS C-</b> Altazimuthal mount, exclusive 10Micron HPS technology with absolute encoders and high performances motor drives; payload capacity of 50 Kg (110 lbs) – Most of the GM2000 Accessories are compatible, please ask our team for more information	16.560,28	13.574
10M2000AZCF	<b>AZ2000 HPS Combi Cold version :</b> Same as 10M2000AZC but with <b>Extended operational temperature to -30°C (-22° F)</b>	18.274,38	14.979
10M200DAZ	<b>Double telescope package</b> for AZ2000 HPS; it doesn't include clamping plates!	1.922,72	1.576
10M3000AZ	<b>AZ3000 HPS</b> - Altazimuthal mount, exclusive 10Micron HPS technology with absolute encoders and high performances motor drives; payload capacity of 100 Kg (220 lbs) – Most of the GM3000 Accessories are compatible, please ask our team for more information	20.413,04	16.732
10M3000AZF	<b>AZ3000 HPS Cold version:</b> Same as 10M3000AZ but with <b>Extended operational temperature to -30°C (-22° F)</b>	23.182,44	19.002
10M300DAZ	<b>Double telescope package</b> for AZ3000 HPS; it doesn't include clamping plates!	3.114,66	2.553
10M4000AZ	<b>AZ4000 HPS</b> - Altazimuthal mount, exclusive 10Micron HPS technology with absolute encoders and high performances motor drives; payload capacity of 150 Kg (330 lbs) – Most of the GM4000 Accessories are compatible, please ask our team for more information	31.383,28	25.724
10M4000AZF	<b>AZ4000 HPS Cold version :</b> Same as 10M4000AZ but with <b>Extended operational temperature to -30°C (-22° F)</b>	34.518,68	28.294
10M400DAZ	<b>Double telescope package</b> for AZ4000 HPS; it doesn't include clamping plates!	4.024,78	3.299

### **AZ DDS MOUNTS**

10M5000DD	<b>AZ5000 DDS mount</b> - robotic fork mount, altazimuthal configuration with optional derotator/focuser (controlled by the internal software), direct drive motor system, absolute encoders, suitable for optical tubes until 26". Nasmyth option available	Ask for quotation
10M6000DD	<b>AZ6000 DDS mount</b> - robotic fork mount, altazimuthal configuration with optional derotator/focuser (controlled by the internal software), direct drive motor system, absolute encoders, suitable for optical tubes until 31". Nasmyth option available	Ask for quotation
10M8000DD	<b>AZ8000 DDS mount</b> - robotic fork mount, altazimuthal configuration with optional derotator/focuser (controlled by the internal software), direct drive motor system, absolute encoders, suitable for optical tubes until 1m. Single and double Nasmyth options available	Ask for quotation
10MGO-1	GO-1 De-rotator/Focuser	Ask for quotation
10MGO-0	GO-0 De-rotator	Ask for quotation
10M5130	Dovetail plate AZ5000 / Alluna 24"	Ask for quotation
10M5199	Shipping kit AZ5000 DDS	Ask for quotation
10M5200	Base Tripod AZ5000 DDS	Ask for quotation

Prices in EURO, w/o VAT – ex stock Italy – shipment costs to be added.

Full package has an advantage price on accessories: - 3% less

Delivery-time for all mounts: 3 months - maximum

Standard-color for HPS: black silk-glossy anodizing treatment - (Ferrari-red or DeepSky-blue anodizing upon inquiry)

Products, pricing and specifications may change without notice or obligation.

10 Micron© by COMEC snc, Caronno Pertusella (ITALY) - All Rights Reserved – IT00309920122

[www.10micron.eu](http://www.10micron.eu)

**10 MICRON**  
astro•technology  
by COMEC-TECHNOLOGY